

Slimline Diffuser

1PSD150

INSTRUCTION MANUAL




TABLE OF CONTENTS

Product contents	2
Dimensions	3
Installation	4


PRODUCT CONTENTS

- | | |
|---|---|
| 1 | Slimline diffuser |
| 2 | Integrated Back Draft Damper and Volume control (removable for supply air applications) |


PRODUCT OVERVIEW

A unique low profile ceiling diffuser to improve function and aesthetics in the bathroom.


It incorporates quick fit clips and an integrated non-return volume control damper to simplify installation and reduce installation costs..



DIMENSIONS



INSTALLATION



Please note: This package includes the Slimline Diffuser . It is designed to be installed as part of an inline ventilation system,

Other items listed in this diagram are available separately.


Inline ventilation application using Slimline Diffuser

INSTALLATION (cont.)

Step 1:


Measure and cut ceiling.

Note: Check clearance of ceiling framing



Step 2:


Pull flexible duct through hole in ceiling



INSTALLATION (cont.)


Step 3:

Connect duct to Slimline Diffuser spigot using cable tie and duct tape.



Step 4:

Fold Quick clips up, then push diffuser into hole gently engaging clips.




INSTALLATION (cont.)

Step 5:

Remove centre panel and adjust dial to control the opening of the back draft dampers, which will control air volume.

NOTE: Remove Back draft dampers when using for supply air.



WARRANTY

5 year warranty from date of purchase. Proof of purchase required. Deviation from assembly instructions may void the product warranty.

CONTACT



Expella Pty Ltd

16 Middleton Road,
Cromer NSW Australia 2099

P +61 2 9981 1622

E info@expella.com.au

www.expella.com.au