

Eco Style

DC 52"

A contemporary three blade design to complement modern decor inside and outside the home.



F4010/101A
White
No Light



F4010/121A
White / Beechwood
No Light



F4010/202A
Black
No Light



F4010/205A
Black / Koa
No Light



F4011/101A
White
CCT LED Light



F4011/121A
White / Beechwood
CCT LED Light



F4011/202A
Black
CCT LED Light



F4011/205A
Black / Koa
CCT LED Light



52"
1320mm

8
Year
8 Year
Motor Warranty
2 year in home
+ 6 year motor
replacement


Technical Data

Key Details

Install Location:	Indoor / Outdoor*
Motor Type:	DC
Blade Material:	ABS Plastic
Operation:	Remote Control


Reversible:	Yes (via remote)
Timer:	1H / 4H / 8H
Ceiling Mount Angle:	0-15°
Blade Pitch:	15° (Approx)

About the CCT LED Light



Light Type:	LED (18w)
Dimmable:	Yes (8 Steps)



SP13-FM004 - User Replaceable LED Light Panel. Plug in LED panel can be replaced without an electrician.



Performance

Speed	Motor Wattage	RPM	Airflow
1	3.8w	75	5,010 m3/hr
2	9.5w	125	7,860 m3/hr
3	14w	140	8,250 m3/hr
4	18.5w	160	8,950 m3/hr
5	24w	170	9,378 m3/hr
6	33W	190	9,641 m3/hr

Dimensions



Extension Rods - No Light Models

K505M/109A White 900mm	K505M/118A White 1800mm
K505M/209A Black 900mm	K505M/218A Black 1800mm

Extension Rods - LED Light Models

K5061/109A White 900mm	K5061/118A White 1800mm
K5061/209A Black 900mm	K5061/218A Black 1800mm

Remote frequency 433 MHz.

Eco Style

DC 60"

A contemporary large diameter three blade design well suited to larger living spaces.



K4020/101A
White
No Light



K4020/121A
White / Beechwood
No Light



K4020/202A
Black
No Light



K4020/205A
Black / Koa
No Light



K4021/101A
White
CCT LED Light



K4021/121A
White / Beechwood
CCT LED Light



K4021/202A
Black
CCT LED Light



K4021/205A
Black / Koa
CCT LED Light



8 Year
8 Year Motor Warranty
2 year in home + 6 year motor replacement


Technical Data

Key Details

Install Location:	Indoor / Outdoor*
Motor Type:	DC
Blade Material:	ABS Plastic
Operation:	Remote Control


Reversible:	Yes (via remote)
Timer:	1H / 4H / 8H
Ceiling Mount Angle:	0-15°
Blade Pitch:	15° (Approx)

About the CCT LED Light



Light Type:	LED (24w)
Dimmable:	Yes (8 Steps)

SP13-FM004 - User Replaceable LED Light Panel. Plug in LED panel can be replaced without an electrician.





Performance

Speed	Motor Wattage	RPM	Airflow
1	5.6w	80	6,880 m3/hr
2	8.3w	96	8,050 m3/hr
3	11w	113	9,290 m3/hr
4	17w	136	10,500 m3/hr
5	27w	164	13,500 m3/hr
6	40w	191	15,200 m3/hr



Dimensions



Extension Rods - No Light Models

K505M/109A White 900mm	K505M/118A White 1800mm
K505M/209A Black 900mm	K505M/218A Black 1800mm

Extension Rods - LED Light Models

K5061/109A White 900mm	K5061/118A White 1800mm
K5061/209A Black 900mm	K5061/218A Black 1800mm

Remote frequency 433 MHz.